CUPERNICAN

FCM Declaration of Compliance

July 1, 2026

Product description: Single-wall paper cups manufactured from Delipac® barrier paperboard.

Product code: SW4, SW6, SW7, SW7.5, SW8, SW9, SW10, SW12, SW16, SW20

Grammage: 220–310 g/m²

Coating layer: Barrier properties are provided by Delipac barrier paperboard according to the supplier's specification. Different grammages and barrier constructions are covered by this Declaration of Compliance.

For further information, please refer to the applicable Technical Data Sheet and Product Specification.

Producer: UAB "Ronelda", Uosių g. 126, Pagojo km., Kelmės raj., LT-86152, Lithuania

Compliance with European food contact legislation

The products described herein comply with the essential legal requirements for materials and articles intended to come into direct contact with foodstuffs and may be used in the food industry on the basis of compliance with the following harmonised legislation:

- Regulation (EC) No 1935/2004 of the European Parliament and of the Council on materials and articles intended to come into contact with food;
- Commission Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- Directive 94/62/EC of the European Parliament and of the Council of 20 December 1994 on packaging and packaging waste
- EN 13427:2004 — Packaging — Requirements for the use of European Standards in the field of packaging and packaging waste;
- EN 13428:2000 — Packaging — Requirements specific to manufacturing and composition — Prevention by source reduction
- EN 13429:2004 — Packaging — Reuse

UAB „RONELDA "Uosių g.126, Pagojo k.,
LT-86152 Kelmės r.

+37065751441
hello@cupernican.com

Įm.k. 304092351
PVM k. LT100010000512
Artea bankas, AB
LT027180200025467201
SWIFT code: CBSBLT26XXX

- EN 13430:2004 — Packaging — Requirements for packaging recoverable by material recycling;
- The food-contact barrier material has been assessed for compliance with the applicable requirements of Commission Regulation (EU) No 10/2011, as supported by supplier declarations and migration testing.

Additional national legal requirements

HN 16:2011 — Hygiene norm of the Minister of Health of the Republic of Lithuania concerning materials and articles intended to come into contact with food (Materials and articles intended to come into contact with food — Special health safety requirements).

Suitability for use

This product is intended for direct food contact with dry, aqueous, acidic, alcoholic and fatty foodstuffs.

This product is intended for use under the following conditions:

- Any long-term storage at room temperature or below (including freezer/fridge)
- Hot fill (temperature not exceeding 80 °C at the moment of filling, after which the food cools down to 50 °C or below within 60 minutes, or to 30 °C or below within 150 minutes)

This product is NOT intended for use under the following conditions:

- Microwave oven
- Conventional oven

Storage recommendations

The product properties are guaranteed for 12 months after the production date. In order to ensure product safety, products must be well packed and stored indoors, sheltered from rain and snow. The recommended storage conditions are 50-55% relative humidity and 20-23° C.

For the product treatment, we recommend using the product within 12 months of the production date; after this period, the product should be tested before using.

Compliance with PPWR Requirements

Based on supplier declarations, available analytical data and internal risk assessment, we confirm that the product is designed and manufactured to comply with Article 5 of Regulation (EU) 2025/40 (PPWR), including the requirements relating to heavy metals and PFAS in food contact packaging.

Overall migration tests according to Commission Regulation (EU) 10/2011

Overall migration testing has been performed by an accredited laboratory on representative samples in accordance with EN 1186. The overall migration limit of 10 mg/dm² specified in Regulation (EU) No 10/2011 was not exceeded.

Test Simulant	Test condition	Result (mg/dm²)	Reporting Limit (mg/dm²)
10% (v/v) Ethanol	1 hour at 5°C	6	3
	1 hour at 20°C	8	3
20% (v/v) Ethanol	1 hour at 5°C	9	3
50% (v/v) Ethanol	1 hour at 5°C	4	3
	1 hour at 20°C	4	3
95% (v/v) Ethanol	1 hour at 5°C	5	3
	1 hour at 20°C	6	3
	1 hour at 40°C	6	3
MPPO	1 hour at 220°C	5	3

Bisphenol A and other hazardous bisphenol substances

According to supplier declarations, bisphenol A (BPA), other hazardous bisphenols and their derivatives are not intentionally added. Therefore, the product is considered to comply with Regulation (EU) 2024/3190 and Commission Regulation (EU) 2026/250.

PFAS Test Data

Based on supplier declarations, analytical reports and our internal assessment, the product:

- contains no intentionally added PFAS substances (polymeric or non-polymeric);
- complies with Article 5 of PPWR;
- complies with the PPWR limits for PFAS;
- where testing has been performed, compliance has been verified using Total Fluorine (TF) methodology.

REACH Regulation (EC) 1907/2006

To the best of our knowledge and based on the information provided by our suppliers, this product complies with the requirements of Regulation (EC) No. 1907/2006 (REACH), including the restrictions set out in Annex XVII and the SVHC communication requirements under Article 33.
No substances subject to restrictions under Annex XVII of REACH are intentionally added during manufacture.

Supporting documentation

Compliance with this Declaration is supported by:

1. Supplier Declaration(s) of Compliance (DoC)
2. Overall Migration Test Report (EN 1186)
3. PFAS analytical reports
4. Home Compost Certificate (DIN CERTCO)
5. Technical Data Sheets (TDS)

UAB Ronelda
CEO
Edvardas Karžinauskas



UAB „RONELDA "Uosių g.126, Pagojo k.,
LT-86152 Kelmės r.

+37065751441
hello@cupernican.com

Įm.k. 304092351
PVM k. LT100010000512
Artea bankas, AB
LT027180200025467201
SWIFT code: CBSBLT26XXX